

# Hot Stamp

SUPPLY COMPANY

141-2 Marcel Drive PH: 1.877.343.4321  
Winchester, VA 22602-4844 FX: 1.877.448.1001  
www.hotstampsupply.com

# Die Order Form

Fax to: Attention Mickey

Company / Customer: \_\_\_\_\_  
Address: \_\_\_\_\_  
City: \_\_\_\_\_  
Phone: \_\_\_\_\_  
Email: \_\_\_\_\_  
Contact: \_\_\_\_\_  
Leadtime: \_\_\_\_\_

Date: \_\_\_\_\_

State: \_\_\_\_\_ Zip: \_\_\_\_\_  
Fax: \_\_\_\_\_  
Date Required: \_\_\_\_\_  
Ship Via: \_\_\_\_\_  
PO #: \_\_\_\_\_

### REPEAT ORDER

Quantity: \_\_\_\_\_ Reorder #: \_\_\_\_\_  
Changes: \_\_\_\_\_

### NEW ORDER

Quantity: \_\_\_\_\_ (Please submit separate order for each different die)

#### Artwork

\_\_\_\_\_ Artwork supplied by customer (camera ready)  
\_\_\_\_\_ Same size  
\_\_\_\_\_ Enlarge to: \_\_\_\_\_ (dimension or %)  
\_\_\_\_\_ Reduce to: \_\_\_\_\_ (dimension or %)  
\_\_\_\_\_ Revise Artwork (attach instructions)

#### Die Type

\_\_\_\_\_ Flat  
\_\_\_\_\_ Contoured (please furnish sample parts & sketch of die)  
\_\_\_\_\_ Read Wrong on die (1st surface)  
\_\_\_\_\_ Read Right on die (2nd surface)

#### Silicone Die Material

\_\_\_\_\_ "A" Series (Standard Red)  
\_\_\_\_\_ "B" Series (Hi-Conductive Brown)  
\_\_\_\_\_ "C" Series (Hi-Temperatrue Brown)

#### Silicone Durometer (Hardness)

\_\_\_\_\_ "A" Series 50 \_\_\_\_\_ 60 \_\_\_\_\_ 70 \_\_\_\_\_ 80 \_\_\_\_\_  
\_\_\_\_\_ "B" Series 60 \_\_\_\_\_ 80 \_\_\_\_\_  
\_\_\_\_\_ "C" Series 85 \_\_\_\_\_ 95 \_\_\_\_\_  
\_\_\_\_\_ Dual Durometer: 95 Face / 60 Base  
\_\_\_\_\_ Other: \_\_\_\_\_

#### Character Relief

\_\_\_\_\_ Standard 1/32"  
\_\_\_\_\_ Deep 1/16"  
\_\_\_\_\_ Other: \_\_\_\_\_

#### Metal Backing (Silicone Die)

\_\_\_\_\_ 1/8" Hard Aluminium  
\_\_\_\_\_ 1/16" Aluminium: Hard \_\_\_\_\_ Soft \_\_\_\_\_  
\_\_\_\_\_ 1/32" Aluminium: Hard \_\_\_\_\_ Soft \_\_\_\_\_  
\_\_\_\_\_ 1/32" Steel  
\_\_\_\_\_ 1/16" Steel  
\_\_\_\_\_ 0.20" Brass  
\_\_\_\_\_ Other: \_\_\_\_\_

#### Substrate

\_\_\_\_\_ Styrene-ABS  
\_\_\_\_\_ Acrylic-SAN  
\_\_\_\_\_ PolyCarbonate  
\_\_\_\_\_ PVC-Rigid  
\_\_\_\_\_ PVC-Flexible  
\_\_\_\_\_ Polyethylene  
\_\_\_\_\_ Polypropylene  
\_\_\_\_\_ Painted Surfaces

#### Die Type

\_\_\_\_\_ Brass  
\_\_\_\_\_ Steel  
\_\_\_\_\_ Magnesium  
\_\_\_\_\_ Copper  
\_\_\_\_\_ Silicone

#### Mounting Holes

\_\_\_\_\_ Yes, holes required. Quantity \_\_\_\_\_  
\_\_\_\_\_ "A" hole diameter: \_\_\_\_\_  
\_\_\_\_\_ (or screw size & type)  
\_\_\_\_\_ "B" dimension: \_\_\_\_\_  
\_\_\_\_\_ "C" dimension: \_\_\_\_\_  
\_\_\_\_\_ Other (please furnish sketch)  
\_\_\_\_\_ No holes required

#### Trim Size (standard is 1/2" around graphics)

\_\_\_\_\_ "D" dimension: \_\_\_\_\_  
\_\_\_\_\_ "E" dimension: \_\_\_\_\_  
\_\_\_\_\_ Other (please furnish sketch)

#### Mounting Holes & Trim Size



#### Silicone Thickness

\_\_\_\_\_ "F" = 1/16" (with 1/32" character relief)  
\_\_\_\_\_ "F" = 3/32" (with 1/16" character relief)  
\_\_\_\_\_ "F" = 1/8"  
\_\_\_\_\_ "F" = Other: \_\_\_\_\_